



# Endeavour™ Sliding Door Lock



ASSA ABLOY

ASSA ABLOY, the global leader  
in door opening solutions

# Contents

<b>Features and Specifications</b>	<b>1</b>
<b>Specifications</b>	<b>2</b>
<b>Handle Options</b>	<b>3</b>
<b>Strike Options</b>	<b>4</b>
<b>Ordering and Maintenance</b>	<b>5</b>



The Lockwood Endeavour range incorporates advanced security and safety features making this product the ideal choice for sliding door applications.

### Style and Function

This range takes design cues from the popular Aria styling providing a harmonious look and feel throughout the home.

The functionality of the Endeavour range has been enhanced by the intuitive operation of the unique sliding snib and the innovative LockAlert feature that indicates the lock status at a glance.

### Application

Surface mounted lockset suitable for use with most aluminium and timber sliding doors.

The flexible chassis coupled with innovative design features results in a non handed product that is extremely easy to install and suitable for new and most retrofit applications.

### General Features

- Twin locking beaks for added security
- Anti-Slam pin protects locking beaks from accidental damage
- **LOCKALERT** indicator shows lockset status at a glance
- **DUALSELECT** enables two stage key locking
- Ergonomic sliding snib with intuitive downward motion to unlock
- Aria styling, for a complementary look throughout the home

### Strength and Durability

Made to the highest quality levels, the Endeavour range satisfies the Australian Standard requirements for strength and durability.

### Product Range

A wide selection of furniture options are available in the Endeavour range to suit various sliding door applications. The range includes internal D handles and slim pulls, and a variety of external furniture and strike options.



## Door Thickness

Door thickness range 19mm to 49mm with the standard screw fixing pack provided.

Longer screws and tailbars are available upon request.

## Fixing

Surface mounted lockset with concealed fixing. Industry standard 125mm pitching centres.

## Handing

Field selectable handing enables installer to easily select the handing during installation.

## Keying

- 5-pin cylinder as standard
- 6-pin cylinder is available in selected kits or as special order
- All key barrels come in satin chrome finish

## Materials

- Zinc diecast construction
- Brass cylinders

## Standards

Conforms to Australian Standard, Locksets: Mechanical locksets for doors in buildings AS4145.2-1993.

- Security – S1
- Durability – D3




## Standard Finishes

- Black powder coat – B
- Satin chrome plated – SC
- Powder coated finishes – P
- Special colours – SPEC






ASSA ABLOY




D Inner Handle





Slim Inner Pull





Slim Outer Pull





Cover Plate



Universal Strike




Side Fix Strike



## Ordering

Refer to your ASSA ABLOY Price Book for ordering kits and part numbers.



## Disclaimer

Whilst every effort has been made to ensure that the information contained in this catalogue is accurate at the time of publication, ASSA ABLOY recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the catalogue or arising from the use or application of the information contained herein. This catalogue does not constitute an offer for the sale of any particular product.

## Specification Service

For all Architectural hardware specification assistance refer to your local ASSA ABLOY Sales Office.

A fully comprehensive, obligation free, Architectural Door Hardware specification can be prepared by Architectural Hardware Representatives.

## Cleaning

Care should be taken during construction/ refurbishment to ensure that paint, thinners, mortar or cement splashes are carefully removed from locks, furniture and hardware. Removal of these splashes with strong cleaning agents or scourers should be avoided.

Dirt and grime should be regularly removed with a soft damp cloth. A solution of mild soap and water may be required. During cleaning, care should be taken to prevent cleaning solution from entering the cylinder keyway. Surfaces should be dried and possibly lubricated.

## Lubrication

During assembly of the furniture, the areas of contact of the internal mechanism which require lubrication are given an application of high quality grease. Where an installation is exposed to temperature extremes, a dusty or dirty environment, or such that the original lubricant becomes contaminated resulting in unsatisfactory operation, then the mechanism should be cleaned with a non-corrosive solvent and re-lubricated.

## Quality Endorsed Company



ASSA ABLOY New Zealand Ltd has been recognised as a Quality Endorsed Company, assessed to international standards by continuing to meet the requirements of one of the most renowned management system approaches, the International Quality Standard ISO 9001.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.



ASSA ABLOY

www.assaabloyasiapacific.com

## ASSA ABLOY Sales Offices & Authorised Agents in Asia Pacific

### Sales Offices – Australia

#### Victoria

235 Huntingdale Road  
Oakleigh VIC 3166  
Telephone (03) 8574 3888  
Facsimile (03) 8574 3788

#### Queensland South

44 Cambridge Street,  
Rocklea QLD 4106  
Telephone (07) 3373 5200  
Facsimile (07) 3373 5256

#### Queensland North

Ralph Buck Agencies  
15 Mackley Street  
Garbutt QLD 4814  
Telephone (07) 4779 0177  
Facsimile (07) 4775 1480

#### New South Wales – Commercial

Unit 1/16 Atkinson Road  
Taren Point NSW 2229  
Telephone (02) 8543 3700  
Facsimile (02) 9531 7944

### New South Wales – Residential

Unit 8/20-22 Foundry Road  
Seven Hills NSW 2147  
Telephone (02) 9624 2666  
Facsimile (02) 9620 9340

### New South Wales – Abloy

5/372 Eastern Valley Way  
Chatswood NSW 2067  
Telephone (02) 9882 6066

### South Australia

182 Magill Road  
Norwood SA 5067  
Telephone (08) 8331 6600  
Facsimile (08) 8364 1975

### Western Australia

37-45 Gladstone Street  
Perth WA 6000  
Telephone (08) 6462 8000  
Facsimile (08) 6462 8025

### Tasmania

23 Antill Street  
South Hobart TAS 7000  
Telephone (03) 6223 5404  
Facsimile (03) 6224 0435

### Sales Offices – New Zealand

#### Auckland - Head Office

6 Armstrong Road  
Albany, North Shore City,  
New Zealand  
Telephone +64 (0)9 415 7111  
Facsimile +64 (0)9 415 7222

#### Christchurch

112 Wordsworth Street  
Sydenham, Christchurch,  
New Zealand  
Telephone +64 (0)3 379 4810  
Facsimile +64 (0)3 379 4819

#### Wellington

Level 3, 10 Hutt Road  
Petone, Lower Hutt,  
New Zealand  
Telephone +64 (0)4 913 4214  
Facsimile +64 (0)4 913 4213

### Manufacturing Plants



#### Victoria

235 Huntingdale Road  
Oakleigh VIC 3166  
Telephone (03) 8574 3888  
Facsimile (03) 8574 3788



#### New Zealand

6 Armstrong Road  
Albany, North Shore City,  
New Zealand  
Telephone +64 (0)9 4157111  
Facsimile +64 (0)9 415 7222

### Security Merchants

#### Australia

Unit 144/45 Gilby Road  
Axxess Business Park  
Mount Waverley,  
Victoria 3149  
Telephone +61 (0)3 9558 8455  
Facsimile +61 (0)3 9558 8466

#### New Zealand

8-10 Haultain Street  
Eden Terrace, Auckland,  
New Zealand  
Telephone +64 (0)9 355 9240  
Facsimile +64 (0)9 307 1752

### Export Department

235 Huntingdale Road  
Oakleigh VIC 3166 Australia  
Telephone +61 (0)3 8574 3888  
Facsimile +61 (0)3 8574 3789

### Asian Offices

ASSA ABLOY – Malaysia  
ASSA ABLOY – Singapore  
ASSA ABLOY – Thailand  
ASSA ABLOY – Hong Kong  
ASSA ABLOY – Shanghai  
ASSA ABLOY – Beijing  
ASSA ABLOY – Korea  
ASSA ABLOY – India  
ASSA ABLOY – Japan

Contact the Export Department,  
Australia for details.

### Worldwide Distributors

Contact the Export Department,  
Australia for details.

### Lockwood Guarantee

ASSA ABLOY New Zealand Ltd ("ASSA ABLOY") warrants its Lockwood products against defects in workmanship and materials, subject to the limitations and exclusions set out in this Warranty. If, within the normal working life of a product, it is found to be defective, and none of the limitations and exclusions set out in this Guarantee apply, ASSA ABLOY will supply the same or equivalent product free of charge. This is the only remedy granted by ASSA ABLOY under this Guarantee.

#### Limitations

All electrical and electronic components used in ASSA ABLOY's Lockwood range of products (excluding batteries) are guaranteed for a period of 12 months from the date of proof of purchase, unless stated otherwise.

#### Exclusions

This Guarantee does not cover:

- Damage to or malfunction or failure of the Lockwood product caused or contributed to by:
  - improper installation or failure to follow fitting instructions;
  - improper maintenance;
  - fair wear and tear;
  - any modification or repair which has not been authorized by ASSA ABLOY;
  - use of substitute or replacement parts or cylinders other than genuine ASSA ABLOY parts or cylinders; or
  - use of batteries other than those specified by ASSA ABLOY.

- The cost of:
  - removal and/or replacement of the Lockwood product;
  - freight and/or travelling time;
  - replacement batteries; or
  - any modification or repairs to a Lockwood product, unless authorised by ASSA ABLOY.
- Damage to or deterioration of the plated finishes Florentine Bronze, Architectural Bronze, Polished Brass, Gold and Satin Brass, which are classified as soft finishes, and are subject to deterioration under some environmental conditions.
- Personal injury, property damage or economic loss, however caused.