



ASSA ABLOY

A practical guide
to home security



ASSA ABLOY

Whether you are enjoying a family holiday at the beach or just out playing a round of golf, it is important to be confident that your home is safe and your possessions are secure.

That's what home security is all about, creating more freedom and reducing stress; knowing that while you are out enjoying life, your home is secure.

Minimise the risk of intruders entering your home and violating your freedom. Increase your home security and make your home safer!

So take control. Read this booklet and select the best security and safety solutions for your home, and unlock your life.



Home Security

| | |
|-------------------------------|----|
| Key Statistics | 6 |
| Take Control | 7 |
| Securing Your Home | 8 |
| Going Away Checklist | 10 |
| Household Security Survey | 11 |
| One Key Security | 12 |
| Casement Window Security | 14 |
| Awning Window Security | 16 |
| Double Hung Window Security | 18 |
| Sliding Window Security | 20 |
| Hinged Entrance Door Security | 22 |
| Hinged Back Door Security | 24 |
| Sliding Door Security | 26 |
| French Door Security | 28 |

Home Security continued...

| | |
|------------------------------|----|
| Lockwood Sliding Door Closer | 30 |
| Secureturn™ | 32 |
| Glossary of Terms | 34 |







Choosing the Right Padlock

| | |
|-----------------------------|----|
| Why Lockwood Padlocks? | 36 |
| Select the Right Padlock | 38 |
| 5 Points to Consider | 39 |
| Handy Range Security | 40 |
| General Purpose Security | 42 |
| High/Maximum Security | 44 |
| Marine/All Weather Padlocks | 46 |





Burglaries do not occur by chance




-  There are now 60,000 reported burglaries in New Zealand per year, although estimates indicate the figure to be higher, with many not being reported.
-  There is now a burglary approximately every 9 minutes.
-  Insurance claims for burglary are now more than \$180 million, and about 20% of victims are uninsured.
-  Burglary victims have an increased risk of being burgled again within the next 6 months.
-  Most burglaries (approximately 75%) are committed during daylight.
-  Windows are the main point of entry for a burglar (approximately 66%), compared to 33% through a door.
-  The majority of burglaries (approximately 85%) are committed by the 'amateur' burglar who looks for an easy opportunity.
-  The majority of burglaries occur as a result of an opportunity in the form of open windows, unlocked doors or through lack of quality hardware.

“ The majority of burglaries occur as a result of an opportunity in the form of unlocked doors or through lack

of open windows, of quality hardware. ”



Take Control

-  By fitting locks (as well as monitored alarms and security lighting) you can discourage the casual, amateur thief looking for an easy opportunity.
-  Fit window locks to prevent easy entry. Remember breaking glass makes noise and attracts attention.
-  Deadlock accessible windows to ensure that they cannot be opened easily even after glass is broken.
-  Glue glass louvre slats in place (use epoxy resin), or fix security bars across louvre windows.
-  Double deadlock front doors to prevent possessions being removed once the burglar is inside your home.
-  Fit patio bolts or deadlocks to sliding and hinged doors.
-  If you think there's a prowler outside **don't get scared - get angry**. Turn on all the outside lights, turn off all the inside lights, and make a very loud noise.
-  Join your local Neighbourhood Support group.



www.ns.org.nz


How secure your property is depends on your attitude to home security. A positive attitude means making the effort to ensure that the four most important steps listed below are taken.

- Fit reliable locks to all doors and windows.
- Install a quality monitored alarm system with a reputable security company.
- Put security markings on all your property.
- Join your local Neighbourhood Support group.



New Zealand Fire Service

A secure house should also be a safe house. For your safety, the New Zealand Fire Service recommend that each living area and bedroom be fitted with at least one smoke alarm and that every bedroom/living area has two ready means of exit in the event of an emergency.



- 1 Fit security stays to all accessible windows for ventilation when home. Lock windows when going out.
- 2 Fit locks to accessible windows.
- 3 Install external lighting and alarms as appropriate.
- 4 Lock your letterbox with a padlock.
- 5 Lock the garage - a closed shackle padlock with a strong hasp and staple will provide extra security.
- 6 Fit locks to any window that opens in your garden shed, and a padlock and strong hasp to the door. Lock ladders and tools in the shed or the garage.
- 7 Back doors are often fitted with a simple two lever mortice lock or key and knob which should be used in conjunction with a strong deadbolt. The back of your house is often more vulnerable than the front.

- 8 Secure gates with a quality padlock and a strong cable or chain.
- 9 Fit a deadlock, door viewer and a strong security chain to the front door.
- 10 Fit a lock with a deadbolt to all external doors including the connecting door between the garage and the house.
- 11 Fit hinge bolts to outward opening hinged doors, top and bottom. Fit sliding door deadlocks with an anti-lift device to sliding patio doors. Fit patio bolts to deck or patio doors.
- 12 Keep shrubs trimmed so that they do not cloak any intruders' activities. Display warning signs.



Going Away Checklist

The following are useful ideas and should be used as appropriate for your situation

1. Lock all doors and windows, including garage, house and garden shed.
2. Cancel postal and newspaper deliveries.
3. Lock away all tools and ladders.
4. Arrange for lawns and shrubs to be trimmed while you are away.
5. Mark all your possessions with your own security mark.
6. Display "Beware" signs if you have a dog or alarm - advertise it.
7. Leave a radio on quietly.
8. Do not close your curtains.
9. Leave appropriate internal light(s) on connected to a timer so it goes on at night only.
10. Advise your neighbours of your plans. Arrange for mail to be collected if possible or held by the postal service.
11. Advise your Neighbourhood Support group.
12. Divert or unplug your phone.



Household Security Hardware Survey


Assess your household security hardware requirements by completing the following:


| | Yes | No | Qty Req. |
|------------------------------------------------------------------------------|--------------------------|--------------------------|----------|
| Front Door | | | |
| Is it fitted with a deadlocking security lock? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Is a door viewer required? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Is a security chain fitted? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Back Door | | | |
| Is it fitted with a security lock? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Are locking bolts fitted at top and bottom? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Patio Doors (Hinged) | | | |
| Are patio bolts fitted at top and bottom? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Are hinge bolts fitted? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Patio Doors (Sliding) | | | |
| Are they fitted with a security deadlock? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Are they fitted with an "Anti-Lift" device? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Are they fitted with a patio bolt? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Windows | | | |
| Are all accessible windows fitted with locks? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Are all accessible windows fitted with security stays? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Garages and Sheds | | | |
| Are all internal doors between garage and house fitted with a security lock? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |
| Are all external doors securely locked with padlocks or security locks? | <input type="checkbox"/> | <input type="checkbox"/> | ___ |

Freedom Through Convenience

Do you want safety and security for your family without the hassle of sorting through dozens of keys just to get in the front door? With ASSA ABLOY's patented CYL4™ One Key Security programme you can keep your home secure with multiple window and door locks with only a single key on your keyring to access them all!

Entrance doors, sliding doors, patio doors, patio bolts, window locks and even padlocks for your garden shed will all work with just the one key, giving you security through convenience and the freedom to live the way you should, worry and hassle free.




 Products displaying this logo use the unique CYL4™ cylinder and can be keyed alike to other CYL4™ products in your home.





Identify appropriate security solutions for your casement windows by simply following the diagram below:



| | Recommended Security | Recommended Product |
|---|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Restrictor stay on top or bottom of the window, 180mm from the hinge. | <ul style="list-style-type: none"> • Securcraft Securistay • Securcraft Safetystay |
| 2 | Deadlocking lock above window handle | <ul style="list-style-type: none"> • Securcraft Multibolt • Securcraft Midibolt • Securcraft Pushlock • Securcraft Presslock • Securcraft Sashlock |
| 3 | Deadlocking window handle in place of existing handle | <ul style="list-style-type: none"> • Securcraft Avon Locking Fastener • Securcraft Windowbolt |



P348

Securcraft Securistay (for timber)

Allows safer ventilation and key lockable arm can be disengaged to allow wide opening window.

- Timber
- Aluminium

Note: For aluminium windows use P388.



MC76C4

Securcraft Sashlock

Turn to latch and key to deadlock. Available in sub fix and face fix models to suit most aluminium windows.

- Timber
- Aluminium



MC14

Securcraft Windowbolt

Secure and concealed mini windowbolt. Key operated, shoots bolt into frame.

- Timber
- Aluminium

Also available

Securistay



P388

- Timber
 - Aluminium
- Aluminium model with key lockable arm to restrict window opening.

See page 17

Midibolt



MC92C4

- Timber
 - Aluminium
- Deadlocking bolt with push to lock and key to deadlock operation.

See page 21

Avon Fastener




MC896

- Timber
 - Aluminium
- Deadlocking with push button, split rail model also available.





Identify appropriate security solutions for your awning windows by simply following the diagram below:



| | Recommended Security | Recommended Product |
|---|---------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Restrictor stay on either side of the window 180mm above sill | <ul style="list-style-type: none"> • Securcraft Securistay • Securcraft Safetystay |
| 2 | Deadlocking lock to one side of window handle | <ul style="list-style-type: none"> • Securcraft Multibolt • Securcraft Midibolt • Securcraft Pushlock • Securcraft Presslock • Securcraft Sashlock |
| 3 | Deadlocking window handles in place of existing handles | <ul style="list-style-type: none"> • Securcraft Wedgeless Deluxe Fastener • Securcraft Avon Locking Fastener • Securcraft Windowbolt |



Securcraft Securistay (for aluminium)

Key lockable arm restricts window opening for safer ventilation. Disengages for wide opening window.

- Timber
- Aluminium

Note: For timber windows use P348.

P388



Securcraft Wedgeless Deluxe Fastener

Secure deadlocking fastener with push to lock or key to unlock operation. Face fix and sub fix models available.

- Timber
- Aluminium

MC346



Securcraft Safetystay

Stainless steel arm limits window opening for safer window ventilation. Suits most aluminium windows.

- Timber
- Aluminium

P1097

Also available

Multibolt



- Timber
 - Aluminium
- Multi-purpose deadlocking window lock.

See page 21

Presslock



- Timber
 - Aluminium
- Compact lock with simple press to lock and key to unlock.

See page 19

Sashlock




- Timber
 - Aluminium
- Turn to latch, key to deadlock. Available in sub fix and face fix models.

See page 15





Identify appropriate security solutions for your double hung windows by simply following the diagram below:



| | Recommended Security | Recommended Product |
|---|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| 1 | For vulnerable windows fit deadlocking key operated bolts | 1. Securcraft Multibolt 2. Securcraft Pushlock 3. Securcraft Midibolt 5. Securcraft Presslock |



Securcraft Multibolt

Strong multi-purpose deadlocking window lock with push to bolt or key to deadlock operation.

Timber
 Aluminium

MC85C4

Securcraft Presslock

Secure compact lock with simple press to lock and key to deadlock operation.

Timber
 Aluminium

MC81C4

Securcraft Pushlock

Compact deadlocking bolt with convenient and safe push to lock and key to deadlock operation.


Timber
 Aluminium

MC93C4





Identify appropriate security solutions for your sliding windows by simply following the diagram below:



| | Recommended Security | Recommended Product |
|---|------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | For vulnerable windows fit deadlocking key operated bolts. | <ol style="list-style-type: none"> 1. Securcraft Ventlock 2. Securcraft Multibolt 3. Securcraft Pushlock 4. Securcraft Midibolt |



Securcraft Ventlock

Secure locking for aluminium sliding windows. Push to lock and key to unlock operation which allows locking in closed or venting positions.

Timber
 Aluminium

MC70C4



Securcraft Midibolt

High security deadlocking bolt with convenient push to lock, key to deadlock operation. The perfect complement to the Securcraft Patiobolt and Pushlock.

Timber
 Aluminium

MC92C4



Securcraft Multibolt

Strong multi-purpose deadlocking window lock with push to bolt or key to deadlock operation.


Timber
 Aluminium

MC85C4





Identify appropriate security solutions for your hinged entrance door by following the diagram below:



| | Recommended Security | Recommended Product |
|---|----------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| 1 | Keyless entry by way of Q-key remote | <ul style="list-style-type: none"> Lockwood Nexion |
| 2 | For additional security double cylinder deadbolt or mortice lock at waist height | <ul style="list-style-type: none"> Securicraft Handleset |
| 3 | Digital lockset for keyless product | <ul style="list-style-type: none"> Lockwood Digital Lockset |
| 4 | Door Viewer at eye level | <ul style="list-style-type: none"> Securicraft Viewer |
| 5 | Security chain at chest height | <ul style="list-style-type: none"> Securicraft Chain |



Lockwood Nexion

Stylish lockset allows you to lock and unlock your front door by Q-Key remote. Features automatic deadlatch and override features.


Timber
 Aluminium



Lockwood Paradigm

Combine a high security Paradigm deadbolt with contemporary handles from the Meridion and Daintree ranges. Featuring a Lock Alert indicator to tell at a glance whether the lock is in secure, safety or passage set mode.

Timber
 Aluminium




Securicraft Entrance Handle Sets

Stylish front door handle sets including a double cylinder deadbolt for added security. Available in a number of styles and finishes.

Timber
 Aluminium

Also available

Securicraft Viewer




MC96

Timber
 Aluminium

Allows safe inspection of visitors with a wide 200° angle.

Securichain




MC41

Timber
 Aluminium

Strong, secure and concealed for modern appearance and easy operation.

Digital Lockset



L002

Timber
 Aluminium


Digital lock with resettable personal code for keyless entry.

See page 25





Identify appropriate security solutions for your hinged back door by following the diagram below:



| | Recommended Security | Recommended Product |
|---|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 1 | Keyless entry by way of Q-Key remote | <ul style="list-style-type: none"> Lockwood Nexion |
| 2 | For additional security double cylinder deadbolt or mortice lock | <ul style="list-style-type: none"> Securicraft Deadbolt with Securicraft Knobset Clutha Mortice Deadlock |
| 3 | Keyless entry by digital lockset | <ul style="list-style-type: none"> Lockwood Digital Lockset |
| 4 | For extra security fit locking bolt to top and bottom of doors. | <ul style="list-style-type: none"> Securicraft Patiobolt Securicraft Midibolt |




Lockwood Digital Lockset

An innovative digital lock that provides keyless convenience. Can be reset to your own personal code.

- Timber
- Aluminium

L002



Lockwood 001 Deadlatch

Deadlatch complete with safety release (automatic release of deadlatch upon entry) and status indicator (tell at a glance whether the deadlatch is deadlocked).

- Timber
- Aluminium

L001



Securicraft Milton Verona

Operated by keys from both sides, this deadlock is ideal for doors with glass panels for increased security.


- Timber
- Aluminium

MC84000





Identify appropriate security solutions for your sliding doors by following the diagram below:



| | Recommended Security | Recommended Product |
|---|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Double cylinder deadbolt (with anti lift tab in centre of door) | <ul style="list-style-type: none"> • Securcraft Albany Deadlatch • Securcraft Mawson |
| 2 | Locking bolt at top or bottom of sliding door | <ul style="list-style-type: none"> • Securcraft Patiobolt • Securcraft Midibolt • Securcraft Superbolt |

Securcraft Albany Daylatch

Sliding door lock with a daylatch function also available in a deadlocking version. Includes an anti-lift feature for added security against intruders.

- Timber
- Aluminium

MC182010

Securcraft Mawson

Key operated cylinder locks and unlocks from outside. Snib locks and unlocks from inside.

- Timber
- Aluminium

MC1140

Securcraft Patiobolt

Key lockable bolt provides push to bolt and key to deadlock operation. Complements the Securcraft Pushlock and Midibolt.

- Timber
- Aluminium

MC82C4

Securcraft Superbolt

Heavy duty bolt to provide extra security for perimeter doors and gates.


- Timber
- Aluminium

MCB3





Identify appropriate security solutions for your french doors by following the diagram below:



| | Recommended Security | Recommended Product |
|---|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| 1 | Locking bolts at top and bottom of doors | <ul style="list-style-type: none"> • Securcraft Patiobolt • Securcraft Midibolt |
| 2 | Keyed window/patio locks at top or bottom of doors | <ul style="list-style-type: none"> • Securcraft Multibolt • Securcraft Pushlock |
| 3 | Vertical mortice lock with high resistance to forced entry. | <ul style="list-style-type: none"> • Securcraft Clutha Mortice Deadlock. |

Securcraft Hingebolt
Provides essential security for outward opening doors and extra security for standard doors.

Timber
 Aluminium

MC10

Securcraft Patiobolt
Key lockable bolt provides push to bolt and key to deadlock operation. Complements the Securcraft Pushlock and Midibolt.

Timber
 Aluminium

MC82C4

Interlock Clutha Mortice Deadlock
Suits narrow stile aluminium hinged and sliding doors. Provides additional security and is available in three bolt sizes.

Timber
 Aluminium

MC590

Also available

| | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Doorbolt</p> <p><input checked="" type="checkbox"/> Timber <input type="checkbox"/> Aluminium Concealed locking door bolt for discrete security.</p> <p>MC11</p> | <p>Pushlock</p> <p><input checked="" type="checkbox"/> Timber <input type="checkbox"/> Aluminium Compact bolt with push to lock and key to deadlock operation.</p> <p>MC93C4</p> | <p>Midibolt</p> <p><input checked="" type="checkbox"/> Timber <input type="checkbox"/> Aluminium High security deadlocking bolt. Perfect complement to Securcraft Patiobolt and Pushlock.</p> <p>MC92C4</p> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

See page 19 See page 21





ASSA ABLOY



Pool safety combines with indoor - outdoor flow

The Lockwood Sliding Door Closer allows outdoor flow without the inconvenience of a fence separating the house and pool. When used in conjunction with a suitable self latching device, the Lockwood Sliding Door Closer is compliant with the Fencing of Swimming Pools Act 1987.

- Use in both new and retrofittable situations
- Strong closing mechanism supports doors up to 60kg
- Easy to install.



Securicraft®




Securiturn™

The Safe & Secure Removable Thumbturn

Securiturn™, the removable turnknob, provides safety with security for double cylinder locks.

- Remaining in the lock while the premises are occupied, the Securiturn™ allows for a safe exit during an emergency.
- When the premises are unoccupied, the Securiturn™ can be removed (using the 'Red Removal Key'), leaving the premises securely deadlocked. This will make the removal of large items through the door during a burglary very difficult.
- With the 'Red Removal Key' in place, the Securiturn™ conforms to the NZ Building Act 'Means of Escape' clause 7.2.2.
- Securiturn™ can be used with new and existing deadlocks incorporating the standard Australasian C4 keyway.





Anti-Lift Device - Used in modern security locks for sliding doors. Prevents door being lifted out of its track.

Automatic Deadlatch - A surface mounted lock which can be deadlatched and deadlocked from both sides.

Backset - Distance from the edge of the door to the middle of the lock cylinder or handle.

Deadbolt - A lock with a bolt that can be opened only by a key from the inside and/or outside. Ideal as an auxillary lock for front and back doors.

Deadlatching - Refers to the type of lock which has a latch that cannot be forced back when in the latched position.

Deadlocking - Refers to the lock feature that requires a key to return the bolt to the unlocked position.

Double Cylinder Lock - A lock that can be operated by key from both sides of the door.

Hasp and Staple - A metal fastening consisting of a hinged strap with a slot that fits over a staple and is secured by a padlock.

Hinge Bolt - A device to reinforce the hinge side of a door to resist attack. Highly recommended for outward opening doors.

Keyed Alike - Keying the cylinders of different locks in an identical form to enable the one key to operate different locks.

One Key Security - Offers a solution by keying alike products of different forms to enable one key to operate all locks.

Key Differs - Denotes the degree of security in a lock i.e. the higher the number of possible key differences, the higher the security of the lock.

Lock Cylinder - The locking mechanism operated by a key.

Locking Window Handle - A keyed window handle that allows windows to be deadlocked when the house is not occupied.



Mortice Lock - A key operated lock fitted inside the door edge. The length that the locking bolt protrudes from the edge of the door is called the lock projection or throw.

Nightlatch - A surface mounted cylinder latch (normally keyed outside and knob on inside). This was fitted to the front door of most homes up to 1970.

Rebate Component - An adaptor to a fit a mortice lock in french doors.

Securiturn™ - Securcraft's unique removable thumbturn provides safe and secure operation of double cylinder deadlocks.

Security Stay - A device for allowing ventilation with a reasonable degree of security. For use while the house is occupied.

Pin Tumbler Cylinder - Type of locking mechanism that offers good security, eg. 5-pin tumbler cylinder provides up to 70,000 genuine key differs.

Window Sash - The frame that holds the window glass.

Window Types

Face Fix: Handles are attached to window by screwing horizontally through the front face of the handle base into the face of the window sash.

Top Fix: Handles are attached to window by screwing vertically down through the top of the handle base into the window sash.

Sub Fix: Handles are attached to window by screwing vertically up from underside of the window sash into the base of the window handle.

ASSA ABLOY

ASSA ABLOY New Zealand Ltd.
PO Box 100407, North Shore, North Shore City 0745
6 Armstrong Road, Albany, North Shore City 0632
New Zealand
www.assaabloyasiapacific.com





Why Lockwood Padlocks?



A high quality trusted brand



A long history of quality and innovation in security products



A world leader in padlocks



A wide range of padlocks which ensures the right lock for all purposes



Hardened Shackle

Lockwood shackles are specially hardened to resist cutter and saw attacks.



Padlock Body

Corrosion resistant, solid brass, stainless steel, plated laminated steel and chrome plated hardened steel.



Double Locked Shackle

A double locked padlock has greater resistance to pulling and twisting.



Cylinder (locking mechanism)

Quality cylinder that enables a range of key differs for greater security and resistance to pulling and twisting.





Select the right padlock

To help you select the right padlock for the level of security required, a scale has been developed that is quick and easy to follow.

The Lockwood range is divided into three categories: **Handy**, **General Purpose** and **High/Maximum** security.

Put simply, the scale follows one basic rule: The higher the number, the better the padlock security.



Rating 1 to 3

Basic protection for barrier and deterrent applications.



Rating 4 to 6

Good to high security for general purpose applications.



Rating 7 to 10

High to maximum security for all applications including commercial and industrial.



Rating 1: Dry, protected conditions.

Rating 2: Occasionally damp conditions.

Rating 3: All conditions other than extreme.

Rating 4: Extreme conditions.

5

Points to consider when choosing a padlock

Not all padlocks are created equal!

The numerous padlocks available in the marketplace may look similar, but many can be easily opened without the key due to poor design and construction. When contemplating a padlock purchase there are five basic considerations to take into account:

1

Level of Security

For effective security it is important to match the padlock with the level of security required.

2

Size

Always consider shackle and body size depending on the application.

3

Quality

High quality materials and precision locking mechanism. Lockwood is a trusted household name with a longstanding reputation for high quality products.

4


Corrosion Resistance

The Lockwood range extends from padlocks suitable for dry, protected environments through to extremely corrosive conditions.

5

Keying

- **Keyed Alike** - the ability to have one key with multiple padlocks. Twin and quad display packs are available for one key convenience.

-  **One Key Security compatible** - the ability to key your padlock to existing locks in your home.



Handy Range Security

Handy Range for everyday security needs

Letterbox



Recommended Security Model

Basic Security

- Hasp and staple LPA/21/90/DP
- Brass padlock L110/25/115/DP
L110/30/119/DP
- Combination padlock L150/25/118/DP

Small Bikes



Recommended Security Model

Basic Security

- Brass padlock L110/40/123/DP
L120/30/118/DP
- Combination cable LPA/56/1200/DP

High Security

- Manganese steel chain with vinyl sleeve LPA/41/900/DP
LPA/42/900/DP

Suitcase



Recommended Security Model

Basic Security

- Brass padlock L110/20/111/DP
- 3 wheel combination padlock L150/25/118/DP
L150/30/125/DP

School Lockers



Recommended Security Model

General Security

- Brass padlock L120/30/118/DP
L120/35/123/DP
- Combination padlock L140/40/122/DP
L141/50/122/RCK1

Handy Range Padlocks



Handy Range

1 2 3

4 5 6 7 8 9 10

110 Series

A range of padlocks designed for basic protection for barrier and deterrent applications. Solid brass body, hardened steel shackles with precision cylinders for improved security.



120 and 121 Series

Quality brass padlocks with double locking hardened steel shackles and precision cylinders. Protective shrouds in 40 and 50mm padlocks, with extended shackles available in 30 and 40mm padlocks.



141 and 150 Series

Dial and resettable digital padlocks for convenient, personalised and keyless security.

150 series padlocks are suitable for use on applications such as luggage and sports bags. The 141 series is ideal for school lockers where access by staff is required.



Cables

Tough zinc coated, multi-core plastic coated cables to ensure strong resistance to cutting attacks.

Preset and re-settable combination cable options.



ASSA ABLOY

General Purpose Security

Increased protection for medium security needs

Barbeque



| Recommended Security | Model |
|--------------------------|----------------------------------------------------------------------|
| General Security | |
| • General security chain | LPA/44/1200/DP |
| • Brass padlock | L110/40/123/DP L110/50/127/DP L120/40/125/DP L120/40/140/DP |

Garden Shed



| Recommended Security | Model |
|-----------------------------------------|----------------|
| General Security | |
| • Brass padlock with hasp and staple | LPA/22/120/DP |
| • Laminated steel padlock | L119/30/117/DP |
| High Security | |
| • Brass padlock | L234/45/119/DP |
| • Stainless steel cylindrical disc lock | L130/70/120/DP |

Mountain Bike



| Recommended Security | Model |
|-------------------------------------|-----------------|
| General Security | |
| • Looped cable | LPA/52/1200/DP |
| • 3 wheel combination brass padlock | L150/40/130/DP |
| High Security | |
| • Brass padlock | L234B45/119/6DP |

Gates



| Recommended Security | Model |
|-----------------------------------------|----------------|
| General Security | |
| • Brass padlock | L120/60/135/DP |
| • Laminated steel padlock | L119/50/129/DP |
| High Security | |
| • Stainless steel cylindrical disc lock | L130/70/120/DP |

General Purpose Padlock Range



General Purpose 1 2 3 **4 5 6** 7 8 9 10

234 Series

A heavy duty solid brass padlock featuring a chrome plated hardened boron steel shackle with a security rating up to seven. These padlocks are ideal for high security needs such as garage doors.



119 Laminated Series

Solid laminated steel lock body with a double bolted hardened steel shackle. Available in sizes 30, 40 and 50mm.




Looped Cables

Tough zinc coated, multi-core plastic coated cables to ensure strong resistance to cutting attacks.



Hasps and Staples

Hardened steel construction with strengthening ribs and rolled edges for extra protection.



High/Maximum Security

Top protection for maximum security needs

| Farm Bike | |
|------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|
| Recommended Security | Model |
| High Security | |
| <ul style="list-style-type: none"> Stainless steel cylindrical disc lock Manganese steel chain | L130/70/120/DP LPA/41/900/DP |
| Maximum Security | |
| <ul style="list-style-type: none"> Hardened steel padlock Manganese steel chain | L270S70/125 L234S45/519/6DP LPA/42/1200/DP |

| Garage | |
|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Recommended Security | Model |
| High Security | |
| <ul style="list-style-type: none"> Brass padlock Padbolt Stainless steel cylindrical disc lock | L234B45/119/DP LPA/33/200/DP L130/70/120/DP |

| Motorbike | |
|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Recommended Security | Model |
| High Security Chain | |
| <ul style="list-style-type: none"> Stainless steel cylindrical disc lock Manganese steel chain | L130/70/120/DP LPA/41/900/DP |
| Maximum Security | |
| <ul style="list-style-type: none"> Hardened steel padlock Manganese steel chain | L310/57/125/DP L310/72/125/DP LPA/43/900/DP |

| Container Doors | |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| Recommended Security | Model |
| High Security | |
| <ul style="list-style-type: none"> Stainless steel cylindrical disc lock Steel closed case padlock | L130/70/120/DP L234C45/519/6DP |
| Maximum Security | |
| <ul style="list-style-type: none"> Stainless steel padlock | 270S70/125/6KD 290S70/125/6KD |

High/Maximum Padlock Range



| | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|----|
| High/Maximum | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--------------|---|---|---|---|---|---|---|---|---|----|

130 Series

70mm cylindrical stainless steel disc lock with a hardened steel shackle. Suitable for high security applications and harsh corrosive environments.



234 Steel Case Series

A heavy duty, solid steel case padlock with a molybdenum steel alloy Quick-Change shackle. Featuring a security rating up to eight, these padlocks are ideal for high security and high corrosion applications.



270 and 290 Series

Heavy duty solid steel case padlocks with a high corrosion resistant molybdenum steel alloy shackle designed for maximum security.



Padbolts

High cut resistant hardened steel construction with tamper resistant fasteners included.



To be used in conjunction with Lockwood Padlocks for maximum security.



Marine/All Weather Padlocks

Non Corrosive Protection

Boats



Recommended Security Model

Non Corrosive

- Brass padlock with protective shroud L110/30/219/BDP
L110/40/223/BDP
- Hardened steel padlock L234M45/619/6DP
L256M63/625/6KD

Trailers



Recommended Security Model

Non Corrosive

- Brass padlocks with extended steel shackle L234B45/690/DP
- Stainless steel padlock L234M45/690/6DP
- Trailer lock LTCL/170/DP

Marine Equipment



Recommended Security Model

Non Corrosive

- Brass padlock with protective shroud L110/25/215/BDP
L110/30/219/BDP
L110/40/223/BDP

Farm Gates



Recommended Security Model

High Security

- Brass padlock L130/70/120/DP
- Stainless steel cylindrical disc lock

Non Corrosive

- Brass padlock protective shroud L110/40/223/BDP
L110/50/232/BDP

Marine/All Weather Padlock Range



Corrosion Resistance Rating

1 2 3 4

110 Series

Brass body with brass shackle and protective cover to protect against knocks, scuffs and corrosion.



234 Marine Series

Heavy duty solid steel construction with a Quick-Change shackle. Suitable for high security and high corrosion applications.



Trailer Lock

Solid hardened steel construction with anti-saw sleeve featuring a unique disc rotating mechanism. Ideal high security solution for caravans, boats and box trailers.



Chains

Enclosed in a vinyl sleeve to prevent damage to paintwork. Flexible and resistant to cutting attack.



ASSA ABLOY



LOCKWOOD

ASSA ABLOY

Choosing the right padlock

